

Some slides for 20th Lecture, Algebra 1

Diego Ruano

Department of Mathematical Sciences
Aalborg University
Denmark

13-11-2012

Public-key cryptography (from Wikipedia)

- The key used to encrypt a message is not the same as the key used to decrypt it.
- Each user has a pair of cryptographic keys—a public key and a private key. The private key is kept secret, while the public key may be widely distributed.
- Messages are encrypted with the recipient's public key and can only be decrypted with the corresponding private key.
- The keys are related mathematically, but the private key cannot feasibly (ie, in actual or projected practice) be derived from the public key.
- The discovery of algorithms that could produce public/private key pairs revolutionized the practice of cryptography beginning in the middle 1970s.

Based on discrete logarithm problem:

Given a prime p and $y, g \in \mathbb{N}$, find x such that

$$y \equiv g^x \pmod{p}$$

- 1 Alice and Bob choose p , a big prime, and $g \in \mathbb{N}$ s.t.
 $0 < g < p$ and g has order $p - 1$ in $(\mathbb{Z}/p\mathbb{Z})^*$ (a generator of $(\mathbb{Z}/p\mathbb{Z})^*$)
- 2 Alice chooses a , with $0 < a < p$ and computes $[g^a]_p$.
Secret Key= a
Public Key= $[g^a]_p$
- 3 Bob chooses b with $0 < b < p$ and computes $[g^b]_p$.
Secret Key= b
Public Key= $[g^b]_p$

- 4 Alice wants to send a message m , $0 < m < p$ to Bob. She sends:

$$\left([g^a]_p, [m(g^b)^a]_p \right)$$

- 5 Bob gets $([x_1]_p, [x_2]_p)$ and computes

$$[x_2]_p ([x_1^b]_p)^{-1} = [mg^{ab}]_p ([g^{ab}]_p)^{-1} = [m]_p$$

and since $m < p$ he can recover m .

To encrypt the message one uses the public key of the receiver and the secret key of the sender.

- 6 Eve?: she had to compute b from $[g^b]_p$